




SPOFLEX

Rubber flooring




Topflor

The ultimate flooring
The ultimate performance



6201



6203



6202



6204



6205



6206



6.0 | 8.0 | 10 mm



600 X 600mm
1000 X 1000mm



6207




6208



6209




6210




6211



6212



6213



6214



6215

SPOFLEX



Rubber flooring for a wide range of sports facilities. Made with materials sturdy enough to withstand skate blades, golf cleats and football spikes.

PRODUCT FEATURES

ideal solution in the special sports floors for figure skating and ice hockey and their supplement areas such as locker room with double-layer provides impact absorption while assuring permanent resilience against heavy loads caused by spikes or skate runners

withstanding static load from heavy fitness equipments-no remarkable imprint when occasional relocation of such equipments

non-porous surface layer assures hygiene and easy maintenance

bacteriostatic and fungistatic against sweat and saliva

APPLICATION

indoor area in sports complex, ice-rink, fitness club

TECHNICAL DATA

	Overall thickness	EN 428	6 mm
	Tile size	EN 427	1000 X 1000mm
	Total weight	EN 430	8900 g/m ²
	Reaction to fire	EN 13501-1	Class B _{fl} -s1
	Electrical resistance	EN 1815	≤ 2kV
	Slip resistance	DIN 51130	R 9
	Abrasion resistance	ISO 4649	130mm ³
	Residual indentation	EN 433	0.05mm
	Dimensional stability	EN 434	± 0.3%
	Colour fastness	EN 20 105-B02	≥ 6
	Resistance to chemicals	EN 423	Good
	Castor chair test	EN 425	Suitable
	Impact sound insulation	EN ISO 717-2	15 dB

CE MARKING



EN 14041

